





20.85 ± 0.30

19.95 REF.



21.50 ± 0.30

EMI FINGERS

UNCOMPRESSED

22.25 ± 0.30

ON THE CONDITION OF COMPRESSED



PRODUCT PACKAGED IN TRAYS AND CARTONS.

RoHS Compliant

TOLERANCES
公差

Material:	材 质
-----------	-----

SEE NOTE

Designed:	设计
-----------	----

Martin

NAME:	
名 称	

QSFP28 1X1 CAGE WITH HEATSINK

. X	± 0.25
. XX	± 0.13
. XXX	± 0.10

Finish:
电 镀

SEE NOTE

Checked:
宙 核

Martin

DWG NO:	
图 号	

FSF160706-C	REV 版本
-------------	-----------

ANGLES, $\pm 2^\circ$

SHEET 1 OF 3
第 1 页 共 3 页


Approved:	
核准	

Richard

白	9
PART NC	
料 号	

	SEE TABLE
--	-----------

	100%
A	



第三视角

A4

SIZE

SCALE
比例

1:1

UNIT
单 位

mm

CUSTOMER:
客户


MODEL NO:
模 号

N/A



N/A

CUSTOMER DRAWING

REV. 版本	ECN NO. 变更说明	DATE 日期
------------	-----------------	------------



RECOMMENDED HOST PCB BOARD
SINGLE SIDE LAYOUT
COMPONENT SIDE OF BOARD




- NOTES:
1. SEE zQSFP+ MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
 2. DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
 3. FINISHED HOLE SIZE (AFTER PLATING)
 4. DATUM -K- IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 5. DATUM -L- IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 6. DATUM -T- IS HARD STOP ON CAGE PER MSA

RoHS Compliant


 北亿纤通科技有限公司						TOLERANCES 公差	Material: 材质	SEE NOTE	Designed: 设计	Martin	NAME: 名称	QSFP28 1X1 CAGE WITH HEATSINK	
						.X ±0.25 .XX ±0.13 .XXX ±0.10 ANGLES: ±2°	Finish: 电镀	SEE NOTE	Checked: 审核	Martin	DWG NO: 图号	FSF160706-C	REV. 版本
							SHEET 2 OF 3 第 2 页 共 3 页		Approved: 核准	Richard	PART NO: 料号	SEE TABLE	A
第三视角	A4 SIZE	SCALE 比例	UNIT 单位	CUSTOMER: 客户	N/A								
		1:1	mm	MODEL NO: 模号	N/A								

CUSTOMER DRAWING


REV. 版本	ECN NO. 变更说明	DATE 日期
------------	-----------------	------------



RECOMMENDED HOST PCB BOARD
SINGLE SIDE LAYOUT
COMPONENT SIDE OF BOARD



- NOTES:
- 1. SEE zQSFP+ MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
 - 2. DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
 - 3. FINISHED HOLE SIZE (AFTER PLATING)
 - 4. DATUM -K- IS HOST BOARD THREE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 - 5. DATUM -L- IS HOST BOARD THREE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 - 6. DATUM -T- IS HARD STOP ON CAGE PER MSA



RoHS Compliant

 北亿纤通科技有限公司						TOLERANCES 公差	Material: 材质	SEE NOTE	Designed: 设计	Martin	NAME: 名称	QSFP28 1X1 CAGE WITH HEATSINK	
						.X ±0.25 .XX ±0.13 .XXX ±0.10 ANGLES: ±2°	Finish: 电镀	SEE NOTE	Checked: 审核	Martin	DWG NO: 图号	FSF160706-C	REV. 版本
							SHEET 3 OF 3 第 3 页 共 3 页		Approved: 核准	Richard	PART NO: 料号	SEE TABLE	A
第三视角	A4 SIZE	SCALE 比例	UNIT 单位	CUSTOMER: 客户	N/A								
		1:1	mm	MODEL NO: 型号	N/A								